


# Navigating the mid August Night Sky

For observers in the middle northern latitudes, this chart is suitable for early August at 11 p.m. or late August near 10 p.m.

The stars plotted represent those which can be seen from areas suffering from moderate light pollution. In larger cities, less than 100 stars are visible, while from dark, rural areas well over ten times that amount are found.



The Ecliptic represents the plane of the solar system. The sun, the moon, and the major planets all lie on or near this imaginary line in the sky.

Relative sizes and distances in the sky can be deceiving. For instance, 360 "full moons" can be placed side by side, extending from horizon to horizon.

→ • Relative size of the full moon.

## Navigating the mid August night sky: Simply start with what you know or with what you can easily find.

- 1 Extend a line north from the two stars at the tip of the Big Dipper's bowl. It passes by Polaris, the North Star.
- 2 Follow the arc of the Dipper's handle. It intersects Arcturus, the brightest star in the June evening sky.
- 3 To the northeast of Arcturus shines another star of the same brightness, Vega. Draw a line from Arcturus to Vega. It first meets "The Northern Crown," then the "Keystone of Hercules." A dark sky is needed to see these two dim stellar configurations.
- 4 High in the East lies the summer triangle stars of Vega, Altair, and Deneb.

### Binocular Highlights

- A: On the western side of the Keystone glows the Great Hercules Cluster.
- B: Between the bright stars Antares and Altair, hides an area containing many star clusters and nebulae.
- C: 40% of the way between Altair and Vega, twinkles the "Coathanger," a group of stars outlining a coathanger.
- D: Sweep along the Milky Way for an astounding number of faint glows and dark bays, including the Great Rift.
- E: The three westernmost stars of Cassiopeia's "W" point south to M31, the Andromeda Galaxy, a "fuzzy" oval.

